

Requirer: ANIGER PARTICIPACOES SOCIETARIAS E ASSESSORIA LTDA

Address: Rua Armindo Eltz, 51– Campo Bom - RS.

Date of receipt of sample: 03/09/2022.

Sample characterization: 01 sample of material, identified by the customer as: "PIGMENTO AMARELO 33060 LUV + PIGMENTO AMARELO 33291 LUV + PIGMENTO DIÓXIDO DE TITÂNIO R103".

Selection of samples: up to the requirer.

Sampling: up to the laboratory.



TEST	RESULTS				
	Results	MLQ	Unit	Method	Evaluation
1 – Alkylphenols (NP/OP)	<10.0	10.0	mg/kg	ISO 18218-2:2019	Pass
2 – Ethoxylates alkylphenols (NPEO/OPEO)	<10.0	10.0	mg/kg	ISO 18218-2:2019	Pass
3 – Total Lead	9.1	3.5	mg/kg	CPSC-CH-E1002-08.3 (2012)	Pass
4 – Total Arsenic	<3.5	3.5	mg/kg	BS EN 16711-1:2015	Pass
5 – Total Mercury	<0.10	0.10	mg/kg	BS EN 16711-1:2015	Pass
6 – Total Cadmium	<3.5	3.5	mg/kg	BS EN 16711-1:2015	Pass
7 – Polyaromatic Hydrocarbons –PAHs	<0.20	0.20	mg/kg	AFPS-GS-2019-01-PAK	Pass
8 – Residual Solvents	<10.0	10.0	mg/kg	ISO/TS 16189:2013	Pass
9 – Bisfenol A (BPA)	<1.0	1.0	mg/kg	Método AFIRM -Bisfenol A (BPA)	Pass
10 – Phtalates	<50.0	50.0	mg/kg	CPSC-CHC1001-09.4 (2018)	Pass

Note 1: Evaluation according to Veja Limits – Maximum Allowed Limits according VEJA Restricted Substances Policy – September/2021.

Note 2: mg/kg = ppm

*The results expressed in this current technical report are applied only to the sample tested as received.
This document reproduction could be done only integrally without any alteration.*

Results by Compounds:

Alkylphenols (AP), Alkylphenol Ethoxylates (APEOs) including all isomers	CAS Number	Results	VEJA Limits (Maximum allowable concentration)	Laboratory Limits (Method quantification limit)
Nonylphenol (NP), mixed isomers	Several	<10.0	Total: 100 ppm	10.0 ppm (each)
Octylphenol (OP), mixed isomers	Several	<10.0		
Nonylphenol Ethoxylates (NPEOs)	Several	<10.0	Total: 100 ppm	
Octylphenol Ethoxylates (OPEOs)	Several	<10.0		

Bisphenols	CAS Number	Result	VEJA Limits (Maximum allowable concentration)	Laboratory Limits (Method quantification limit)
Bisphenol-A (BPA)	80-05-7	<1.0	1 ppm	1.0 ppm

*The results expressed in this current technical report are applied only to the sample tested as received.
This document reproduction could be done only integrally without any alteration.*

Heavy Metals	CAS Number	Results	VEJA Limits (Maximum allowable concentration)	Laboratory Limits (Method quantification limit)
Arsenic (As)	7440-38-2	<3.5	Extracted: 0,1 ppm Total: 10 ppm	Extracted: 0.05 ppm Total: 3.5 ppm Leather: 2.0 ppm
Cadmium (Cd)	7440-43-9	<3.5	Extracted: 0.1 ppm Total: 40 ppm	Extracted: 0.05 ppm Total: 3.5 ppm Leather: 2.0 ppm
Lead (Pb)	7439-92-1	9.1	Extracted: 0.2 ppm Total: 90 ppm	Extracted: 0.05 ppm Total: 3.5 ppm Leather: 2.0 ppm
Mercury (Hg)	7439-97-6	<0.10	Extracted: 0.02 ppm Total: 0.5 ppm	Extracted: 0.005 ppm Total: 0.10 ppm

Solvents/Residuals	CAS Number	Results	VEJA Limits (Maximum allowable concentration)	Laboratory Limits (Method quantification limit)
Dimethylformamide (DMFa)	68-12-2	<10.0	500 ppm	10.0 ppm
Formamide	75-12-7	<10.0	1000 ppm	
Dimethylacetamide (DMAC)	127-19-5	<10.0		
N-Methyl-2-pyrrolidone (NMP)	872-50-4	<10.0		

The results expressed in this current technical report are applied only to the sample tested as received.
This document reproduction could be done only integrally without any alteration.

Polycyclic Aromatic Hydrocarbons (PAHs)	CAS Number	Results	VEJA Limits (Maximum allowable concentration)	Laboratory Limits (Method quantification limit)
Acenaphthene	83-32-9	<0.20	No individual restriction	0.20 ppm
Acenaphthylene	208-96-8	<0.20		
Anthracene	120-12-7	<0.20		
Benzo(g,h,i)perylene	191-24-2	<0.20		
Fluorene	86-73-7	<0.20		
Fluoranthene	206-44-0	<0.20		
Indeno(1,2,3-cd) pyrene	193-39-5	<0.20		
Naphthalene	91-20-3	<0.20		
Phenanthrene	85-01-8	<0.20		
Pyrene	129-00-0	<0.20		
Benzo(a)anthracene	56-55-3	<0.20	0.5 ppm (each)	0.20 ppm
Benzo(a)pyrene	50-32-8	<0.20		
Benzo(b)fluoranthene	205-99-2	<0.20		
Benzo[e]pyrene	192-97-2	<0.20		
Benzo[j]fluoranthene	205-82-3	<0.20		
Benzo(k)fluoranthene	207-08-9	<0.20		
Chrysene	218-01-9	<0.20		
Dibenzo(a,h)anthracene	53-70-3	<0.20		

The results expressed in this current technical report are applied only to the sample tested as received.
This document reproduction could be done only integrally without any alteration.

Phthalates	CAS Number	Results	VEJA Limits (Maximum allowable concentration)	Laboratory Limits (Method quantification limit)
Di-isonylphthalate (DINP)	28553-12-0	<50.0	Total: 1000 ppm 500 ppm (each)	50.0 ppm (each)
Di-n-octylphthalate (DNOP)	117-84-0	<50.0		
Di(2-ethylhexyl)-phthalate (DEHP)	117-81-7	<50.0		
Diisodecylphthalate (DIDP)	26761-40-0	<50.0		
Butylbenzylphthalate (BBP)	85-68-7	<50.0		
Dibutylphthalate (DBP)	84-74-2	<50.0		
Diisobutylphthalate (DIBP)	84-69-5	<50.0		
Di-n-hexylphthalate (DnHP)	84-75-3	<50.0		
Diethylphthalate (DEP)	84-66-2	<50.0		
Dimethylphthalate (DMP)	131-11-3	<50.0		
Di-n-pentyl phthalate (DPENP)	131-18-0	<50.0		
Dicyclohexyl phthalate (DCHP)	84-61-7	<50.0		
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	<50.0		
Bis(2-methoxyethyl) phthalate	117-82-8	<50.0		
Diisopentyl phthalate (DIPP)	605-50-5	<50.0		
Dipropyl phthalate (DPRP)	131-16-8	<50.0		
Diisooctyl phthalate (DIOP)	27554-26-3	<50.0		
Diisoexyl phthalate (DIHxP)	71850-09-4	<50.0		
Di-hexyl phthalate, branched and linear (DHxP)	68515-50-4	<50.0		
1,2-Benzenedicarboxylic acid, di-C7-11- branched and linear alkyl esters (DHNUP)	685142-4	<50.0		
1,2-Benzenedicarboxylic acid	84777-06-0	<50.0		
1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters or mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate; 1,2-Benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters; 1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters	68648-93-1 68515-51-5	<50.0		
n-Pentyl-isopentylphthalate (nPIPP)	776297-69-9	<50.0		

The results expressed in this current technical report are applied only to the sample tested as received.
This document reproduction could be done only integrally without any alteration.



Chemical
Analysis
Laboratory

Technical Report
Nº 1404/22

Service Order
Nº 0572/22

Page
Nº 6/6



EXAMINATION PERFORMED: 03/09/2022 to 03/28/2022.

TRACKING EQUIPMENT USED FOR TEST:

- NI 102 Balance, with calibration certificate RBC 006060/2021 emitted by INSTITUTO SENAI DE INOVAÇÃO EM METALMECÂNICA-CETEMP and valid until 05/2023.

Estância Velha, March 29th, 2022

Technical Analyst
Lucas Zoldan
CRQ 05202050

**Revision 02
BRC**

*The results expressed in this current technical report are applied only to the sample tested as received.
This document reproduction could be done only integrally without any alteration.*