

## TEST REPORT SR 4300/19

**Client:** V Fair Trade Com. e Exportação de Calçados e Acessórios Ltda.

**Address:** 17 de Abril Street, 270, Campo Bom – RS – Brazil.

**1 - Sample description:** One (01) sample of plastic material.  
**Client identification:** “Plastic Bags for Packaging (Individual)”.

**2 - Sample description:** One (01) sample of plastic material.  
**Client identification:** “Plastic Bags for Packaging (Collective)”.

**3 - Sample description:** One (01) sample of plastic material seal.  
**Client identification:** “Plastic Seal to Keep Both Foot Together”.



**Application:** 47378

**Date of entry:** 10/28/2019

**Date of the test:** 10/30 until 11/06/2019.

### TESTS AND RESULTS

#### Determination of cadmium (BS EN 1122/01)

Sample	Results (ppm)	Orientation (EU – Directive 91/338/EC/1991)	Evaluation
1 + 2 + 3	< LQM	Maximum: 100 ppm	PASS

#### Determination of phthalate content (CPSC-CH-C 1001-09.4/2018)\*

Sample	Results (%)	Orientation (according CPSC 1001)	Evaluation
1 + 2 + 3	< LQM	Maximum: 0,1% (1000 ppm)	PASS

#### Method Quantification Limit – LQM

- BS EN 1122 Cadmium (Cd): 10.0 ppm	
- Phthalates (%):	
Di-(2-ethyl-hexyl) phthalate (DEHP): 0.015	Di-n-hexyl phthalate (DNHP): 0.015
Diisobutyl phthalate (DIBP): 0.015	Butyl benzyl phthalate (BBP): 0.015
Dibutyl phthalate (DBP): 0.015	Diisodecyl phthalate (DIDP): 0.015
Diisoheptyl phthalate (DIHP): 0.015	Diisononyl phthalate (DINP): 0.015
Diisopentyl phthalate (DIPP): 0.015	Di-n-octyl phthalate (DNOP): 0.015
Di-n-pentyl phthalate (DPP): 0.015	N-pentyl-isopentyl phthalate (PiPP): 0.015
1,2-benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP): 0.015	Bis(2-methoxyethyl) phthalate (BMEP): 0.015

**N.B. – The results presented in the document are valid only to the tested samples and may not be reproduced without prior authorization. Authorization will only be given for the total reproduction of the document.**

Phone +55 51 3553.1000  
Fax +55 51 3553.1001  
www.ibtec.org.br  
laboratorio@ibtec.org.br  
CNPJ 87.190.161/0001-73  
Inscrição Estadual: 086/0422534

Rua Araxá, 750  
Bairro Ideal  
93334-000  
Novo Hamburgo  
Rio Grande do Sul, Brasil

## TEST REPORT SR 4300/19

**Considerations:**

ppm (parts per million) = mg/kg

Sampling was carried by client.

At the customer's request, the samples were grouped. In case of a positive result, IBTeC recommends testing each separate sample.

With no further information for the time being, we now issue the present report.

This report integrates the sheet of signatures attached.

Novo Hamburgo, November 06, 2019.

---

**N.B. – The results presented in the document are valid only to the tested samples and may not be reproduced without prior authorization. Authorization will only be given for the total reproduction of the document.**

Phone +55 51 3553.1000  
Fax +55 51 3553.1001  
[www.ibtec.org.br](http://www.ibtec.org.br)  
[laboratorio@ibtec.org.br](mailto:laboratorio@ibtec.org.br)  
CNPJ 87.190.161/0001-73  
Inscrição Estadual: 086/0422534

Rua Araxá, 750  
Bairro Ideal  
93334-000  
Novo Hamburgo  
Rio Grande do Sul, Brasil

## TEST REPORT SR 4300/19



---

Technical Analyst  
Dienifer Scheeren - Chemical technician  
CRQ 05409288 - 5ª Region



---

Technical Analyst  
Jaqueline Roese - Chemical technician  
CRQ 05409456 - 5ª Region



---

Test Supervisor  
Janiela Cristina Klein Gamarra - Industrial Chemist  
CRQ 05203543 - 5ª Region

The acceptance of this report is conditioned to your weblink authenticity  
[http://www.ibtec.org.br/areacliente/laudo/478343006112019\\_ibtec\\_-\\_Assinado.pdf](http://www.ibtec.org.br/areacliente/laudo/478343006112019_ibtec_-_Assinado.pdf)

**The digital signature:** This report recives the digital signature with digital certification according with the ICP-Brazilian norms - Brazilian public Keys Infraestructure, instituted by provisional measure number 2200-2 de 24/08/2001. The graphic signature at the side has historic value. The valid signature is added to the pdf file. When viewing the file, search by icon at foward of pdf tools toolbar.



**N.B. – The results presented in the document are valid only to the tested samples and may not be reproduced without prior authorization. Authorization will only be given for the total reproduction of the document.**

---

Phone +55 51 3553.1000  
Fax +55 51 3553.1001  
[www.ibtec.org.br](http://www.ibtec.org.br)  
[laboratorio@ibtec.org.br](mailto:laboratorio@ibtec.org.br)  
CNPJ 87.190.161/0001-73  
Inscrição Estadual: 086/0422534

Rua Araxá, 750  
Bairro Ideal  
93334-000  
Novo Hamburgo  
Rio Grande do Sul, Brasil

## TEST REPORT SR 4301/19

**Client:** V Fair Trade Com. e Exportação de Calçados e Acessórios Ltda.

**Address:** 17 de Abril Street, 270, Campo Bom – RS – Brazil.

**1 - Sample description:** One (01) sample of white coloured fabric.

**Client identification:** "Organic Canvas – White (Upper)".

**2 - Sample description:** One (01) sample of beige coloured fabric.

**Client identification:** "Organic Canvas – Natural (Lining)".



**Application:** 47378

**Date of entry:** 10/28/2019

**Date of the test:** 10/30 until 11/06/2019.

### TESTS AND RESULTS

**Determination of certain aromatic amines derived from azo colorants with and without extraction (BS EN ISO 14362-1/17)**

Sample	Results (ppm)	Orientation (European Union)	Evaluation
1 + 2	< LQM	Maximum: 30 ppm	PASS

**Amines analyzed: Azo dyes can release by cleavage of their azo group, one or more of the amines listed:** 2,6-Dimethylaniline, 2-Methylaniline, 4-Chloroaniline, 2-Methoxy-5-Methylaniline, 2,4,5-Trimethylaniline, 4-Chloro-2-Methylaniline, 2,4-Diaminotoluene, 2,4-Diaminoanisole, 2-Naphthylamine, 2-Methyl-5-Nitroaniline, 4-Aminobiphenyl, 4-Aminoazobenzene, 4,4'-Oxydianiline, 4,4'-Diaminobiphenyl, 4,4'-Diaminodiphenylmethane, 4'-Amino-2,3'-Dimethylazobenzene, 4,4'-Methylene-bis(2-methylaniline), 3,3'-Dimethylbenzidine (o-Tolidine), 4,4'-Thiodianiline, 3,3'-Dichlorobenzidine, o-Dianisidine, 4,4'-Methylene bis(2-chloroaniline), o-Anisidine, 2,4-Dimethylaniline.

Method Quantification Limit – LQM
- Azo Dyes: 5 ppm per amine

#### Considerations:

ppm (parts per million) = mg/kg

Sampling was carried by client.

At the customer's request, the samples were grouped. In case of a positive result, IBTeC recommends testing each separate sample.

With no further information for the time being, we now issue the present report.

This report integrates the sheet of signatures attached.

Novo Hamburgo, November 06, 2019.

**N.B. – The results presented in the document are valid only to the tested samples and may not be reproduced without prior authorization. Authorization will only be given for the total reproduction of the document.**

Phone +55 51 3553.1000  
Fax +55 51 3553.1001  
www.ibtec.org.br  
laboratorio@ibtec.org.br  
CNPJ 87.190.161/0001-73  
Inscrição Estadual: 086/0422534

Rua Araxá, 750  
Bairro Ideal  
93334-000  
Novo Hamburgo  
Rio Grande do Sul, Brasil

## TEST REPORT SR 4301/19



---

Technical Analyst  
Dienifer Scheeren - Chemical technician  
CRQ 05409288 - 5ª Region



---

Technical Analyst  
Jaqueline Roese - Chemical technician  
CRQ 05409456 - 5ª Region



---

Test Supervisor  
Janiela Cristina Klein Gamarra - Industrial Chemist  
CRQ 05203543 - 5ª Region

The acceptance of this report is conditioned to your weblink authenticity  
[http://www.ibtec.org.br/areacliente/laudo/777418906112019\\_ibtec\\_-\\_Assinado.pdf](http://www.ibtec.org.br/areacliente/laudo/777418906112019_ibtec_-_Assinado.pdf)

**The digital signature:** This report recives the digital signature with digital certification according with the ICP-Brazilian norms - Brazilian public Keys Infraestructure, instituted by provisional measure number 2200-2 de 24/08/2001. The graphic signature at the side has historic value. The valid signature is added to the pdf file. When viewing the file, search by icon at foward of pdf tools toolbar.



**N.B. – The results presented in the document are valid only to the tested samples and may not be reproduced without prior authorization. Authorization will only be given for the total reproduction of the document.**

---

Phone +55 51 3553.1000  
Fax +55 51 3553.1001  
[www.ibtec.org.br](http://www.ibtec.org.br)  
[laboratorio@ibtec.org.br](mailto:laboratorio@ibtec.org.br)  
CNPJ 87.190.161/0001-73  
Inscrição Estadual: 086/0422534

Rua Araxá, 750  
Bairro Ideal  
93334-000  
Novo Hamburgo  
Rio Grande do Sul, Brasil