

Requirer: FITAS REAL INDUSTRIA E COMERCIO DE EMBALAGENS LTDA

Address: Rua Emancipação, 510, – Vale Real – RS.

Date of receipt of sample: 03/23/2022.

Sample characterization: 01 sample of material, identified by the customer as: "MATERIAL 1 –REALBAND PARDA, COM REFORÇO E COM IMPRESSÃO SECURITY SEAL COR PRETA LOTE 0101125240322 + MATERIAL 2 –REALBAND AZUL, COM REFORÇO E COM IMPRESSÃO SECURITY SEAL COR PRETA LOTE 0101125160322 + MATERIAL 3 – REALBAND VERMELHA, COM REFORÇO E COM IMPRESSÃO SECURITY SEAL COR PRETA LOTE 0101125160322".



Selection of samples: up to the requirer.

Sampling: up to the laboratory

TEST	RESULTS				
	Results	MQL	Unit	Method	Evaluation
1 – Alkylphenols (NP/OP)	<10.0	10.0	mg/kg	ISO 18218-2:2019	Pass
2 – Ethoxylates alkylphenols (NPEO/OPEO)	<10.0	10.0	mg/kg	ISO 18218-2:2019	Pass
3 – Total Lead	<3.5	3.5	mg/kg	BS EN 16711-1:2015	Pass
4 – Total Cadmium	<3.5	3.5	mg/kg	BS EN 16711-1:2015	Pass
5 – Total Mercury	<0.10	0.10	mg/kg	BS EN 16711-1:2015	Pass
6 – Total Chromium	<3.5	3.5	mg/kg	BS EN 16711-1:2015	Pass
7 – Formaldehyde	1.63	0.50	mg/kg	EN 1541:2001	Pass
8 – Hexavalent Chromium	<3.0	<3.0	mg/kg	IEC 62321-7-2:2017	Pass
9 – Bisfenol A (BPA)	<1.0	1.0	mg/kg	Método AFIRM -Bisfenol A (BPA)	Pass
10 – Phtalates	<50.0	50.0	mg/kg	CPSC-CHC1001-09.4 (2018)	Pass
11 – AZO Amines	<5.0	5.0	mg/kg	ISO 14362-1:2017	Pass

Note 1: Evaluation according to Veja Limits – Maximum Allowed Limits according VEJA Restricted Substances Policy – September/2021.

Note 2: mg/kg = ppm

Note 3: MQL = Method Quantification Limit.

*The results expressed in this current technical report are applied only to the sample tested as received.
This document reproduction could be done only integrally without any alteration*



Chemical

Technical Report

Service Order

Page

Analysis

Laboratory

Nº 1819/22

Nº 0727/22

Nº 2/5

Alkylphenols (AP), Alkylphenol Ethoxylates (APEOs) including all isomers	CAS Number	Results	VEJA Limits (Maximum allowable concentration)	Laboratory Limits(Method quantification limit)
Nonylphenol (NP), mixed isomers	Several	<10.0	Total: 100 ppm	10.0 ppm (each)
Octylphenol (OP), mixed isomers	Several	<10.0		
Nonylphenol Ethoxylates (NPEOs)	Several	<10.0	Total: 100 ppm	
Octylphenol Ethoxylates (OPEOs)	Several	<10.0		

Formaldehyde	CAS Number	Result	VEJA Limits (Maximum allowable concentration)	Laboratory Limits (Method quantification limit)
Formaldehyde	50-00-0	1.63	All, except packaging: 16 ppm Packaging: 150 ppm	0.50 ppm

Heavy Metals	CAS Number	Results	VEJA Limits (Maximum allowable concentration)	Laboratory Limits (Method quantification limit)
Chromium (Cr)	7440-47-3	<3.5	Total: 100 ppm	3.5 ppm
Lead (Pb)	7439-92-1	<3.5		3.5 ppm
Mercury (Hg)	7439-97-6	<0.10		0.10 ppm
Cadmium (Cd)	7440-43-9	<3.5		3.5 ppm

Bisphenols	CAS Number	Result	VEJA Limits (Maximum allowable concentration)	Laboratory Limits (Method quantification limit)
Bisphenol-A (BPA)	80-05-7	<1.0	1 ppm	1.0 ppm

The results expressed in this current technical report are applied only to the sample tested as received.
This document reproduction could be done only integrally without any alteration

Phthalates	CAS Number	Results	VEJA Limits (Maximum allowable concentration)	Laboratory Limits (Method quantification limit)
Di-isononylphthalate (DINP)	28553-12-0	<50.0	Total: 1000 ppm 500 ppm (each)	50.0 ppm (each)
Di-n-octylphthalate (DNOP)	117-84-0	<50.0		
Di(2-ethylhexyl)-phthalate (DEHP)	117-81-7	<50.0		
Diisodecylphthalate (DIDP)	26761-40-0	<50.0		
Butylbenzylphthalate (BBP)	85-68-7	<50.0		
Dibutylphthalate (DBP)	84-74-2	<50.0		
Diisobutylphthalate (DIBP)	84-69-5	<50.0		
Di-n-hexylphthalate (DnHP)	84-75-3	<50.0		
Diethylphthalate (DEP)	84-66-2	<50.0		
Dimethylphthalate (DMP)	131-11-3	<50.0		
Di-n-pentyl phthalate (DPENP)	131-18-0	<50.0		
Dicyclohexyl phthalate (DCHP)	84-61-7	<50.0		
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	<50.0		
Bis(2-methoxyethyl) phthalate	117-82-8	<50.0		
Diisopentyl phthalate (DIPP)	605-50-5	<50.0		
Dipropyl phthalate (DPRP)	131-16-8	<50.0		
Diisooctyl phthalate (DIOP)	27554-26-3	<50.0		
Diisoexyl phthalate (DIHxP)	71850-09-4	<50.0		
Di-hexyl phthalate, branched and linear (DHxP)	68515-50-4	<50.0		
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	<50.0		
1,2-Benzenedicarboxylic acid	84777-06-0	<50.0		
1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters or mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate; 1,2-Benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters; 1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters	68648-93-1 68515-51-5	<50.0		
n-Pentyl-isopentylphthalate (nPIPP)	776297-69-9	<50.0		

The results expressed in this current technical report are applied only to the sample tested as received.
This document reproduction could be done only integrally without any alteration

Azo-amines	CAS Number	Results	VEJA Limits (Maximum allowable concentration)	Laboratory Limits (Method quantification limit)
4-Aminobiphenyl	92-67-1	<5.0	20 ppm (each)	5.0 ppm (each)
Benzidine	92-87-5	<5.0		
4-Chlor-o-toluidine	95-69-2	<5.0		
2-Naphthylamine	91-59-8	<5.0		
o-Aminoazotoluene	97-56-3	<5.0		
2-Amino-4-nitrotoluene	99-55-8	<5.0		
p-Chloraniline	106-47-8	<5.0		
2,4-Diaminoanisole	615-05-4	<5.0		
4,4'-Diaminodiphenylmethane	101-77-9	<5.0		
3,3'-Dichlorobenzidine	91-94-1	<5.0		
3,3'-Dimethoxybenzidine	119-90-4	<5.0		
3,3'-Dimethylbenzidine	119-93-7	<5.0		
3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	<5.0		
p-Cresidine	120-71-8	<5.0		
4,4'-Methylen-bis(2-chloraniline)	101-14-4	<5.0		
4,4'-Oxydianiline	101-80-4	<5.0		
4,4'-Thiodianiline	139-65-1	<5.0		
o-Toluidine	95-53-4	<5.0		
2,4-Toluylenediamine	95-80-7	<5.0		
2,4,5-Trimethylaniline	137-17-7	<5.0		
2,4 Xylidine	95-68-1	<5.0		
2,6 Xylidine	87-62-7	<5.0		
2-Methoxyaniline (= o-Anisidine)	90-04-0	<5.0		
p-Aminoazobenzene	60-09-3	<5.0		
4-Chloro-o-toluidinium Chloride	3165-93-3	<5.0		
2-Naphthylammoniumacetate	553-00-4	<5.0		
4-Methoxy-m-phenylene Diammonium Sulphate	39156-41-7	<5.0		
2,4,5-trimethylaniline hydrochloride	21436-97-5	<5.0		

The results expressed in this current technical report are applied only to the sample tested as received.
This document reproduction could be done only integrally without any alteration



Chemical
Analysis
Laboratory

Technical Report
Nº 1819/22

Service Order
Nº 0727/22

Page
Nº 5/5



Hexavalent Chromium	CAS Number	Result	VEJA Limits (Maximum allowable concentration)	Laboratory Limits (Method quantification limit)
Hexavalent Chromium	18540-29-9	<3.0	3 ppm	3.0 ppm

EXAMINATION PERFORMED: 03/23/2022 to 04/12/2022.

TRACKING EQUIPMENT USED FOR TEST:

- NI 102 Balance, with calibration certificate RBC 006060/2021 emitted by INSTITUTO SENAI DE INOVAÇÃO EM METALMECÂNICA-CETEMP and valid until 05/2023.

Estância Velha, April 12th, 2022

Technical Analyst
Lucas Zoldan
CRQ 05202050

Revision 02
BRC

*The results expressed in this current technical report are applied only to the sample tested as received.
This document reproduction could be done only integrally without any alteration*