



Laboratório de Ensaios Físico-químicos Relatório de Ensaio Nº. 4290/21 Ordem de Serviço Nº. 1841/21 Folha Nº. 1/1

Requisitante: BOXFLEX COMPONENTES PARA CALCADOS LTDA.

Endereço: Avenida dos Municípios, 101 – Novo Hamburgo - RS.

Data de recebimento da amostra: 30/08/2021

Caracterização da amostra: 01 amostra de material polimérico, identificada pelo requisitante como: "FAMÍLIA TEXAIR ECO HM".

Amostragem: a/c requisitante.

Tomada do corpo-de-prova: a/c laboratório.

ENSAIOS	RESULTADOS			
	Numérico	Limite Quantificação	Unidade	Procedimento
<u>Amostra 1 /FQ 4290/21 ("FAMÍLIA TEXAIR ECO HM")</u>				
1 – Pentaclorofenol (PCP)	<0,05	0,05	mg/kg	ISO 17070:2015

DATA DE REALIZAÇÃO DOS ENSAIOS: 30/08 a 16/09/2021.

EQUIPAMENTOS RASTREÁVEIS UTILIZADOS NO ENSAIO:

- NI 102 Balança Analítica com Certificado de Calibração RBC nº 005938/2020, emitido pelo INSTITUTO SENAI DE INOVAÇÃO EM METALMECÂNICA – CETEMP e válido até 04/2022.

Estância Velha, 16 de setembro de 2021.


Técnico Analista
Lucas Zoldan
CRQ 05202050

Revisão 04
LBS

Instituto SENAI de Tecnologia em Couro e Meio Ambiente
Rua Gregório de Mattos, 111, Centro - Estância Velha/RS
(51) 3904-2735 | laboratorios.couro@senairs.org.br | institutosennai.org.br

*Os resultados contidos no presente relatório de ensaio se aplicam somente à amostra ensaiada conforme recebida.
A reprodução deste documento só poderá ser feita integralmente, sem nenhuma alteração.*



Laboratório de Ensaios Físico-químicos Relatório de Ensaio Nº. 4256/21 Ordem de Serviço Nº. 1822/21 Folha Nº. 1/1

Requisitante: BOXFLEX COMPONENTES PARA CALÇADOS LTDA.

Endereço: Avenida dos Municípios, 101 – Novo Hamburgo - RS.

Data de recebimento da amostra: 25/08/2021

Caracterização da amostra: 01 amostra de material polimérico, identificada pelo requisitante como: "FAMÍLIA TEXAIR ECO HM".

Amostragem: a/c requisitante.

Tomada do corpo-de-prova: a/c laboratório.

ENSAIOS	RESULTADOS			
	Númérico	Limite Quantificação	Unidade	Procedimento
Amostra 1 /FQ 4256/21 ("FAMÍLIA TEXAIR ECO HM")				
1 - Formaldeído	<0,50	0,50	mg/kg	ISO 14184-1:2011
2 - Corantes Dispersos ¹	<5,00	5,00	mg/L	DIN 54231:2005
3 - Clorotoluenos e Clorobenzenos ²	<0,20	0,20	mg/Kg	DIN EN 17137:2019
3.1 - 3-Clorotolueno	0,30	0,20	mg/Kg	DIN EN 17137:2019
4 - Bisfenol A (BPA)	<1,00	1,00	mg/Kg	Método AFIRM - Bisfenol A (BPA)
5- Arsênio Solúvel	<0,50	0,50	mg/kg	EN 71-3:2019 / DIN EN-71-3:2019-08

¹ Corantes dispersos analisados: Azul 1, Azul 3, Azul 35, Azul 106, Azul 124, Amarelo 3, Laranja 3, Laranja 37/76/59 e Vermelho 1.

² Clorotoluenos e Clorobenzenos analisados: Monoclorobenzeno, 2-Clorotolueno, 4-Clorotolueno, 2,3-Diclorotolueno, 2,4-Diclorotolueno, 2,5-Diclorotolueno, 2,6-Diclorotolueno, 3,4-Diclorotolueno, 2,3,6-Triclorotolueno, 2,4,5-Triclorotolueno, Pentaclorotolueno, 1,2-Diclorobenzeno, 1,3-Diclorobenzeno, 1,4-Diclorobenzeno, 1,2,3-Triclorobenzeno, 1,2,4-Triclorobenzeno, 1,3,5-Triclorobenzeno, 1,2,3,4-Tetraclorobenzeno, 1,2,3,5-Tetraclorobenzeno, 1,2,4,5-Tetraclorobenzeno, Pentaclorobenzeno, Hexaclorobenzeno.

DATA DE REALIZAÇÃO DOS ENSAIOS: 25/08 a 16/09/2021.

EQUIPAMENTOS RASTREÁVEIS UTILIZADOS NO ENSAIO:

- NI 102 Balança Analítica com Certificado de Calibração RBC nº 005938/2020, emitido pelo INSTITUTO SENAI DE INOVAÇÃO EM METALMÉCANICA – CETEMP e válido até 04/2022.

Estância Velha, 17 de setembro de 2021.


Técnico Analista
Lucas Zoldan
CRQ 05202050

Instituto SENAI de Tecnologia em Couro e Meio Ambiente

Rua Gregório de Mattos, 111, Centro - Estância Velha/RS

(51) 3904-2735 | laboratorios.couro@senairs.org.br | institutosennai.org.br

Revisão 04
LBS



Test Report

No. BR2002983 Rev. 0

Date: Barueri, 04 Nov 2020

Page 1 of 7

BOXFLEX COMPONENTES PARA CALCADOS LTDA
AVENIDA DOS MUNICIPIOS
101
NOVO HAMBURGO, RS 93544750
BRAZIL

The following sample(s) was/were submitted and identified on behalf of the buyer as: **FAMILIA TEXAIR**

SGS Order No. : 40014816
Total of Sample : 05 Samples
Buyer's Name/Division :
Age Group : All Ages
Sample Classification : Others Polymers (206)
Test Required Key Code No. :
Project :
Request Composite Test (Materials Mix) : No
Order Info : Full Compulsory Test (FT)
Material Supplier : Família Texair
Finished Product Factory :
Sample Description : Família Texair
Model Name : Família Texair
Country of Supplier : Brazil
PLM Number : MI-INS00042/K001 + 40051496_D0001
Buyers Name :
Season : SS'21
Contact Person : Joana C. Amaral
Material Name : Família Texair
Colour : Branco

The informations above was provided by or on behalf of the customer.

Proposal Number : PR20-60026 rev.01
Sample Receiving Date : 15 Oct 2020
Test Performing Period : 15 Oct 2020 - 04 Nov 2020
Test Requested : Selected test(s) as requested by client.
Test Part Description : Please refer to next page(s).
Test Method : Please refer to next page(s).
Test Results : Please refer to next page(s).
Technical Responsibility : Alessandra Shimizu - Laboratory Manager CRQ 04245592

Summary of Test Result:

Test Parameter

Test Method

Conclusion

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Test Report


No. BR2002983 Rev. 0

Date: Barueri, 04 Nov 2020

Page 2 of 7

Extractable Metals	DIN EN ISO 105-E04 (2013) in acid solution (1 hour extraction with 37°C) / DIN EN ISO 11885:2009 & DIN EN ISO 12846:2012.	PASS
Total Heavy Metals	Microwave digestion / DIN EN ISO 11885 (2009), analysis by ICP.	PASS
PVC (Polyvinyl chloride)	In House 2360/12, analysis was performed by FTIR and/or Beilstein test	PASS
Organotin Compounds	With reference to ISO 16179:2012, analysis was performed by GC-MS.	PASS
Phthalates	With reference to ISO 14389:2014; Analysis was performed by GC-MS/CPSC Method CPSC-CH-C1001.09.4:2018	PASS
Short Chained Chlorinated Paraffin (SCCP) and Medium Chained Chlorinated Paraffin (MCCP)	With reference to DIN EN ISO 18219:2016-02; analysis was performed by LC/MS-MS.	PASS
Nonylphenol (NP) and Octylphenol (OP)	Sample preparation by solvent extraction (EN ISO 21084:2019), analysis was performed by GC-MS.	PASS
Nonylphenol Ethoxylates (NPEOs) and Octylphenol Ethoxylates (OPEOs)	Sample preparation by solvent extraction (EN ISO 18254/16), analysis was performed by LC-MS.	PASS

Sample Photo :



SGS authenticate the photo on original report only

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.



Test Report

No. BR2002983 Rev. 0

Date: Barueri, 04 Nov 2020

Page 3 of 7

Signed for and on behalf of
SGS do Brasil Ltda.

Alessandra Shimizu
Laboratory Manager CRQ 04245592

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.
Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Test Report

No. BR2002983 Rev. 0

Date: Barueri, 04 Nov 2020

Page 4 of 7

Test Results :

Test Part Description :

Item No.	SGS Sample ID	Description
1	BR2002983.001	FAMILIA TEXAIR

PVC (Polyvinyl chloride)

Test Method : In House 2360/12, analysis was performed by FTIR and/or Beilstein test

Test Item(s)	CAS-NO.	Client Requeriment	MQL	Unit	Result
PVC	9002-86-2	Negative	-	-	Negative
Conclusion					PASS

Extractable Metals

Test Method : DIN EN ISO 105-E04 (2013) in acid solution (1 hour extraction with 37°C) / DIN EN ISO 11885:2009 & DIN EN ISO 12846:2012.

Test Item(s)	CAS-NO.	Client Requeriment	MQL	Unit	Result
Cadmium (Cd)	7440-43-9	Max. 0.10	0.03	mg/kg	ND
Chromium (Cr)	7440-47-3	-	0.03	mg/kg	ND
Lead (Pb)	7439-92-1	-	0.03	mg/kg	ND
Mercury (Hg)	7439-97-6	Max. 0.02	0.02	mg/kg	ND
Conclusion					PASS

Notes :

Specification: Lead (Pb): Infant Limit: 0.2 ppm/Adult Limit: 1.0 ppm; Chromium (Cr): Infant Limit: 1 ppm/Adult Limit: 2 ppm;

Total Heavy Metals

Test Method : Microwave digestion / DIN EN ISO 11885 (2009), analysis by ICP.

Test Item(s)	CAS-NO.	Client Requeriment	MQL	Unit	Result
Lead (Pb)	7439-92-1	Max. 40.00	0.16	mg/kg	0.62
Cadmium (Cd)	7440-43-9	Max. 40.00	0.01	mg/kg	ND
Conclusion					PASS

Organotin Compounds

Test Method : With reference to ISO 16179:2012, analysis was performed by GC-MS.

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Client Requeriment</u>	<u>MQL</u>	<u>Unit</u>	<u>Result 001</u>
Monobutyl tin (MBT)	78763-54-9	Max. 1.00	0.01	mg/kg	ND
Monooctyl tin (MOT)	15231-57-9	Max. 1.00	0.01	mg/kg	ND
Dibutyl tin (DBT)	1002-53-5	Max. 1.00	0.01	mg/kg	ND
Dioctyl tin (DOT)	15231-44-4	Max. 1.00	0.01	mg/kg	ND
Trioctyltin (TOT)	869-59-0	Max. 1.00	0.01	mg/kg	ND
Tributyl tin (TBT)	688-73-3	ND	0.05	mg/kg	ND
Triphenyl tin (TPhT)	892-20-6	Max. 0.50	0.01	mg/kg	ND
Conclusion					PASS

Phthalates

Test Method : With reference to ISO 14389:2014; Analysis was performed by GC-MS/CPSC Method CPSC-CH-C1001.09.4:2018

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Client Requeriment</u>	<u>MQL</u>	<u>Unit</u>	<u>Result 001</u>
Diisononyl Phthalate (DINP)	28553-12-0	-	60.00	mg/kg	ND
Di-n-octyl Phthalate (DNOP)	117-84-0	-	60.00	mg/kg	ND
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	-	60.00	mg/kg	ND
Diisodecyl Phthalate (DIDP)	26761-40-0	-	60.00	mg/kg	ND
Benzylbutyl Phthalate (BBP)	85-68-7	-	60.00	mg/kg	ND
Dibutyl Phthalate (DBP)	84-74-2	-	60.00	mg/kg	ND
Diisobutyl Phthalate (DIBP)	84-69-5	-	60.00	mg/kg	ND
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	-	60.00	mg/kg	ND
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	-	60.00	mg/kg	ND
Di-n-hexyl Phthalate (DnHP)	84-75-3	-	60.00	mg/kg	ND
Bis(2-methoxyethyl) Phthalate (DMEP)	117-82-8	-	60.00	mg/kg	ND
Dipentyl Phthalate (DPP)	131-18-0	-	60.00	mg/kg	ND
Dicyclohexyl Phthalate (DCHP)	84-61-7	-	60.00	mg/kg	ND
Diisopentyl Phthalate (DIPP)	605-50-5	-	60.00	mg/kg	ND
Diethyl Phthalate (DEP)	84-66-2	-	60.00	mg/kg	ND
Di-iso-hexylphthalate (DIHxP)	71850-09-4	-	60.00	mg/kg	ND
Sum		Max. 500.00	-	mg/kg	ND
Conclusion					PASS

Short Chained Chlorinated Paraffin (SCCP) and Medium Chained Chlorinated Paraffin (MCCP)

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Test Report

No. BR2002983 Rev. 0

Date: Barueri, 04 Nov 2020

Page 6 of 7

Test Method : With reference to DIN EN ISO 18219:2016-02; analysis was performed by LC/MS-MS.

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Client Requeriment</u>	<u>MQL</u>	<u>Unit</u>	<u>Result</u>
Short Chained Chlorinated Paraffin (SCCP)	85535-84-8	Max. 1000	50	mg/kg	ND
Conclusion					PASS

Nonylphenol (NP) and Octylphenol (OP)

Test Method : Sample preparation by solvent extration (EN ISO 21084:2019), analysis was performed by GC-MS.

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Client Requeriment</u>	<u>MQL</u>	<u>Unit</u>	<u>Result</u>
Nonylphenol (NP)	25154-52-3	Max. 10.00	1.00	mg/kg	6.36
Octylphenol (OP)	27193-28-8	Max. 10.00	1.00	mg/kg	ND
Conclusion					PASS

Nonylphenol Ethoxylates (NPEOs) and Octylphenol Ethoxylates (OPEOs)

Test Method : Sample preparation by solvent extration (EN ISO 18254/16), analysis was performed by LC-MS.

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Client Requeriment</u>	<u>MQL</u>	<u>Unit</u>	<u>Result</u>
Nonylphenol ethoxylates (NPEO)	9016-45-9	-	1.00	mg/kg	ND
Octylphenol ethoxylates (OPEO)	9002-93-1	-	1.00	mg/kg	ND
Sum of (NP,OP, NPEO and OPEO)		Max. 100.00	1.00	mg/kg	6.36
Conclusion					PASS

Remarks :

- (1) MQL = Method Quantification Limit
- (2) ND = Not Detected (< MQL)
- (3) "-" = Not Analyzed / Not Applicable
- (4) "--" = Analysis in Process
- (5) 1 mg/kg = 0.0001%
- (6) mg/kg = ppm

Comments :

The reported results refer only to the samples submitted to the tests. SGS is not responsible for information regarding the composition of the sample and its manufacturing data. These are the sole responsibility of the customer and are not part of the service scope of SGS do Brasil LTDA.

This document may not be reproduced, except in whole, without the prior written approval of SGS.

The test SCCP is not part of the scope of testing of this laboratory and was produced by a subcontracted laboratory. The outsourced test was performed by laboratory SGS Hong Kong Limited, report number SL12050306774801TX.

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.



Test Report

No. BR2002983 Rev. 0

Date: Barueri, 04 Nov 2020

Page 7 of 7

WARNING: The opinions and interpretations expressed below are based on the results obtained from the item tested, applicable only to the tests where the specification parameters are included in this report.

*** End of Report ***

The assay were conducted in the laboratory in Brazil, located at the address cited at the bottom of this report.

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.