



Relatório de Ensaios

No. BR2105149 Rev. 0

Data: Barueri, 27 Dez 2021

Pag.1 de 11

BRANYL COMERCIO E INDUSTRIA TEXTIL LTDA

RUA FLAVIO GIACOMINI

S/N

CAPIVARI, SP 13360000

BRAZIL

A(s) seguinte(s) amostra(s) foi/foram apresentada(s) e identificada(s) pelo cliente ou em seu nome como:

AC1889/1 REC BAC (OFF WHITE) // AC1889/1 REC BAC (SAHARA) // AC1889/1 REC BAC (PURE);

AC1889/1 REC BAC (OFF WHITE); AC1889/1 REC BAC (SAHARA); AC1889/1 REC BAC (PURE)

SGS Ordem No. : 40021667

Total de Amostras Recebidas : 03 AMOSTRAS

Número do Lote : 530713529979530713

Pais de Origem : Brasil

Fornecedor : Branyl Com. Ind. Têxtil LTDA

Fabricante : Ramarim

Projeto : Veja

As informações acima foram fornecidas pelo cliente ou em seu nome.

Número da Proposta : C&P PR21-306565 rev00

Data de Recebimento da Amostra: 19 Nov 2021

Período de análise : 23 Nov 2021 - 22 Dez 2021

Teste Solicitado : Teste(s) selecionado(s) conforme solicitado pelo cliente.

Descrição das Amostras: Consulte a(s) página(s) seguinte(s).

Método de ensaio : Consulte a(s) página(s) seguinte(s).

Resultados dos Ensaios : Consulte a(s) página(s) seguinte(s).

Responsabilidade Técnica : Alessandra Shimizu - Gerente de Laboratório CRQ 04245592

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Foto da Amostra :



Foto autenticada pela SGS somente no relatório original

Assina em nome da
SGS do Brasil Ltda.

Alessandra Shimizu
Gerente de Laboratório CRQ 04245592

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Relatório de Ensaios

No. BR2105149 Rev. 0

Data: Barueri, 27 Dez 2021

Pag.3 de 11

Resultados dos Ensaios :

Descrição das Amostras :

Item No.	SGS ID Amostra	Descrição
1	BR2105149.001	AC1889/1 REC BAC (OFF WHITE) // AC1889/1 REC BAC (SAHARA) // AC1889/1 REC BAC (PURE)
2	BR2105149.002	AC1889/1 REC BAC (OFF WHITE)
3	BR2105149.003	AC1889/1 REC BAC (SAHARA)
4	BR2105149.004	AC1889/1 REC BAC (PURE)

Valor de pH

Método de ensaio : BS ISO 3071:2020.

Item(s) de Teste	Limite	RL	Unid.	Resultado	Incerteza
pH Valor do extrato aquoso	4,00 - 7,50	-	-	5,18	NA
Item(s) de Teste	Limite	RL	Unid.	Resultado	Incerteza
pH Valor do extrato aquoso	4,00 - 7,50	-	-	4,73	NA
Item(s) de Teste	Limite	RL	Unid.	Resultado	Incerteza
pH Valor do extrato aquoso	4,00 - 7,50	-	-	4,97	NA

Corantes AZO

Método de ensaio : EN ISO 14362-1:2017 & EN ISO 14362-3: 2017.

Item(s) de Teste	CAS-NO.	Limite	RL	Unid.	Resultado	Incerteza
4-aminobifenil	92-67-1	Max. 20,0	5,0	mg/kg	ND	NA
Benzidina	92-87-5	Max. 20,0	5,0	mg/kg	ND	NA
4-cloro-o-toluidina	95-69-2	Max. 20,0	5,0	mg/kg	ND	NA
2-naftilamina	91-59-8	Max. 20,0	5,0	mg/kg	ND	NA
o-aminoazotolueno	97-56-3	Max. 20,0	5,0	mg/kg	ND	NA
2-amino-4-nitrotolueno	99-55-8	Max. 20,0	5,0	mg/kg	ND	NA
4-cloroanilina	106-47-8	Max. 20,0	5,0	mg/kg	ND	NA
2,4-diamino-anisola	615-05-4	Max. 20,0	5,0	mg/kg	ND	NA
4,4-diamino-difenilmetano	101-77-9	Max. 20,0	5,0	mg/kg	ND	NA
3,3-diclorobenzidina	91-94-1	Max. 20,0	5,0	mg/kg	ND	NA
3,3-dimetoxibenzidina	119-90-4	Max. 20,0	5,0	mg/kg	ND	NA
3,3-dimetilbenzidina	119-93-7	Max. 20,0	5,0	mg/kg	ND	NA
3,3-dimetil-4,4-diamino-difenilmetano	838-88-0	Max. 20,0	5,0	mg/kg	ND	NA

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Item(s) de Teste	CAS-NO.	Limite	RL	Unid.	Resultado	
					001	Incerteza
p-cresidina	120-71-8	Max. 20,0	5,0	mg/kg	ND	NA
4,4-metilene-bis-(2-cloroanilina)	101-14-4	Max. 20,0	5,0	mg/kg	ND	NA
4,4-oxidianilina	101-80-4	Max. 20,0	5,0	mg/kg	ND	NA
4,4-tiodianilina	139-65-1	Max. 20,0	5,0	mg/kg	ND	NA
o-toluidina	95-53-4	Max. 20,0	5,0	mg/kg	ND	NA
2,4-toluenediamina	95-80-7	Max. 20,0	5,0	mg/kg	ND	NA
2,4,5 - trimetilnilina	137-17-7	Max. 20,0	5,0	mg/kg	ND	NA
4-aminoazobenzeno	60-09-3	Max. 20,0	5,0	mg/kg	ND	NA
o-anisidina	90-04-0	Max. 20,0	5,0	mg/kg	ND	NA
2,4-xilidina	95-68-1	Max. 20,0	5,0	mg/kg	ND	NA
2,6-xilidina	87-62-7	Max. 20,0	5,0	mg/kg	ND	NA
Cloreto de 4-cloro-o-toluidinio	3165-93-3	Max. 20,0	5,0	mg/kg	ND	NA
2-Naftilamonoacetato	553-00-4	Max. 20,0	5,0	mg/kg	ND	NA
Sulfato de diamônio 4-metoxi-m-fenileno	39156-41-7	Max. 20,0	5,0	mg/kg	ND	NA
Cloridrato de 2,4,5-trimetilamina	21436-97-5	Max. 20,0	5,0	mg/kg	ND	NA

Nota: Resultados acima de 1/2 ou 1/3 do requisito do teste indicam uma possibilidade de reprovação em um ou mais componentes. Recomenda-se testar novamente os componentes de forma individual para determinar a conformidade de cada componente com o requisito.
As substâncias 4-Aminodifenil CAS 92-67-1, 2-Naftilamina CAS 91-59-8 e 4-metoxi-m-fenileno-diamina CAS 615-05-4 podem ser geradas indiretamente de corantes não azoicos. 4,4'-metileno-dianilina CAS 101-77-9 e 2,4-toluidenodiamina CAS 95-80-7 podem ser originados a partir do poliuretano ou agentes químicos de fixação. Nestes casos, a presença dos corantes restritos pode não ser determinada com segurança sem informações adicionais.
O método descrito na norma ISO 14362-1: 2017 resulta na quebra do 4-aminoazobenzeno e subsequente formação de aminas não proibidas: anilina e 1,4-fenilenodiamina. Se anilina e 1,4-fenilenodiamina não forem detectados por este método, o resultado de 4-aminoazobenzeno CAS 60-09-3 será considerado como 'não detectado'. Caso contrário, deve-se empregar a norma ISO 14362-3: 2017 para verificar a presença de 4-aminoazobenzeno.

Corantes Dispersos

Método de ensaio : Referenciado na DIN 54231:2005, análise realizada por LC-DAD-MS.

Item(s) de Teste	CAS-NO.	Limite	RL	Unid.	Resultado	
					001	Incerteza
Navy Blue	118685-33-9	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Azul 1	2475-45-8	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Azul 3	2475-46-9	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Azul 7	3179-90-6	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Azul 26	3860-63-7	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Azul 106	12223-01-7	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Azul 124	61951-51-7	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Marron 1	23355-64-8	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Laranja 1	2581-69-3	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Laranja 3	730-40-5	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Laranja 11	82-28-0	Max. 50,0	15,0	mg/kg	ND	NA

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Item(s) de Teste	CAS-NO.	Limite	RL	Unid.	Resultado	
					001	Incerteza
C. I. Disperso Laranja 37/59/76	51811-42-8	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Laranja 37/59/76	12223-33-5	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Laranja 37/59/76	13301-61-6	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Laranja 149	85136-74-9	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Vermelho 1	2872-52-8	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Vermelho 11	2872-48-2	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Vermelho 17	3179-89-3	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Vermelho 151	61968-47-6	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Amarelo 1	119-15-3	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Amarelo 3	2832-40-8	Max. 50,0	15,0	mg/kg	ND	NA
C.I Disperso Amarelo 7	6300-37-4	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Amarelo 9	6373-73-5	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Amarelo 23	6250-23-3	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Amarelo 39	12236-29-2	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Amarelo 49	54824-37-2	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Amarelo 56	54077-16-6	Max. 50,0	15,0	mg/kg	ND	NA
Acid Red 26	3761-53-3	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Vermelho Básico 9	569-61-9	Max. 50,0	15,0	mg/kg	ND	NA
C.I. Verde Básico 4	10309-95-2	Max. 50,0	15,0	mg/kg	ND	NA
C.I. Verde Básico 4	2437-29-8	Max. 50,0	15,0	mg/kg	ND	NA
C.I. Verde Básico 4	569-64-2	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Violeta Básico 3	548-62-9	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Violeta Básico 14	632-99-5	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Azul Básico 26	2580-56-5	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Direto Preto 38	1937-37-7	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Direto Azul 6	2602-46-2	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Direto Vermelho 6	573-58-0	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Direto Marrom 95	16071-86-6	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Solvente Amarelo 2	60-11-7	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Solvente Azul 4	6786-83-0	Max. 50,0	15,0	mg/kg	ND	NA
4,4'-bis (dimetilamino) -4 "- (metilamino) álcool de tritilo	561-41-1	Max. 50,0	15,0	mg/kg	ND	NA
C. I. Disperso Azul 102	12222-97-8	Max. 50,0	15,0	mg/kg	ND	NA

Formaldeído

Método de ensaio : Referenciado na ISO 14184-1:2011; análise realizada por UV-VIS.

Item(s) de Teste	CAS-NO.	Limite	RL	Unid.	Resultado	
					001	Incerteza
Formaldeído	50-00-0	-	16,00	mg/kg	ND	NA

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Notas :

Limite: tudo exceto embalagem: 16 ppm Embalagem: 150 pp

Metais Pesados Extraíveis

Método de ensaio : DIN EN 16711-2:2016,A análise foi realizada por ICP-MS.

Item(s) de Teste	CAS-NO.	Limite	RL	Unid.	Resultado	
					001	Incerteza
Antimônio (Sb)	7440-36-0	Max. 30,000	3,000	mg/kg	ND	NA
Arsênio (As)	7440-38-2	Max. 0,200	0,100	mg/kg	ND	NA
Bário (Ba)	7440-39-3	Max. 1000,000	100,000	mg/kg	ND	NA
Cádmio (Cd)	7440-43-9	Max. 0,100	0,050	mg/kg	ND	NA
Cromo (Cr)	7440-47-3	Max. 2,000	0,500	mg/kg	ND	NA
Cobalto (Co)	7440-48-4	Max. 1,000	0,500	mg/kg	ND	NA
Cobre (Cu)	7440-50-8	Max. 25,000	5,000	mg/kg	ND	NA
Chumbo (Pb)	7439-92-1	Max. 0,200	0,100	mg/kg	ND	NA
Mercúrio (Hg)	7439-97-6	Max. 0,020	0,020	mg/kg	ND	NA
Níquel (Ni)	7440-02-0	Max. 1,000	0,100	mg/kg	ND	NA
Selênio (Se)	7782-49-2	Max. 500,000	50,000	mg/kg	ND	NA

Metais Pesados Extraíveis - Cromo Hexavalente

Método de ensaio : DIN EN 16711-2-2016

Item(s) de Teste	Limite	RL	Unid.	Resultado	
				001	Incerteza
Cromo Hexavalente (Cr VI)	Max. 1,000	0,500	mg/kg	ND	NA

Metais Pesados Totais

Método de ensaio : DIN EN 16711-1:2016- A análise foi realizada por ICP-MS

Item(s) de Teste	CAS-NO.	Limite	RL	Unid.	Resultado	
					001	Incerteza
Arsênio (As)	7440-38-2	Max. 100,00	10,00	mg/kg	ND	NA
Cádmio (Cd)	7440-43-9	Max. 40,00	5,00	mg/kg	ND	NA
Mercúrio (Hg)	7439-97-6	Max. 0,50	0,10	mg/kg	ND	NA

Compostos Organoestânicos

Método de ensaio : Referenciado na ISO 16179 2012, análise realizada por GC-MS.

Item(s) de Teste	CAS-NO.	Limite	RL	Unid.	Resultado	
					001	Incerteza

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Relatório de Ensaios

No. BR2105149 Rev. 0

Data: Barueri, 27 Dez 2021

Pag.7 de 11

Item(s) de Teste	CAS-NO.	Limite	RL	Unid.	Resultado	
					001	Incerteza
Dibutilestanho (DBT)	1002-53-5	Max. 1,00	0,10	mg/kg	ND	NA
Di-n-octilestanho (DOT)	15231-44-4	Max. 1,00	0,10	mg/kg	ND	NA
Monobutilestanho (MBT)	78763-54-9	Max. 1,00	0,10	mg/kg	ND	NA
Triciclohexilestanho (TCyHT)	892-20-6	Max. 1,00	0,10	mg/kg	ND	NA
Trimetilestanho (TMT)		Max. 1,00	0,10	mg/kg	ND	NA
Triotilestanho (TOT)	869-59-0	Max. 1,00	0,10	mg/kg	ND	NA
Tripipileno (TPT)		Max. 1,00	0,10	mg/kg	ND	NA
Tributilestanho (TBT)	688-73-3	Max. 0,50	0,10	mg/kg	ND	NA
Trifenilestanho (TPHT)	892-20-6	Max. 0,50	0,10	mg/kg	ND	NA

Ftalatos

Método de ensaio : Método ISO 14389:2014, análise realizada por GC-MS/CPSC-CH-C1001.09.4 de 1º de Abril de 2018, análise realizada por GC-MS.

Item(s) de Teste	CAS-NO.	Limite	RL	Unid.	Resultado	
					001	Incerteza
Di-isononil Ftalato (DINP)	28553-12-0	Max. 500,00	50,00	mg/kg	ND	NA
Di-n-octil Ftalato (DNOP)	117-84-0	Max. 500,00	50,00	mg/kg	ND	NA
Di(2-etilhexil) Ftalato (DEHP)	117-81-7	Max. 500,00	50,00	mg/kg	ND	NA
Di-isodecil Ftalato (DIDP)	26761-40-0	Max. 500,00	50,00	mg/kg	ND	NA
Benzil butil Ftalato (BBP)	85-68-7	Max. 500,00	50,00	mg/kg	ND	NA
Di(n-butyl) Ftalato (DBP)	84-74-2	Max. 500,00	50,00	mg/kg	ND	NA
Di-isobutil Ftalato (DIBP)	84-69-5	Max. 500,00	30,00	mg/kg	ND	NA
Di-n-hexil Ftalato (DnHP)	84-75-3	Max. 500,00	50,00	mg/kg	ND	NA
Dietil Ftalato (DEP)	84-66-2	Max. 500,00	50,00	mg/kg	ND	NA
Dimetil Ftalato (DMP)	131-11-3	Max. 500,00	50,00	mg/kg	ND	NA
Di-n-pentil Ftalato (DPENP)	131-18-0	Max. 500,00	50,00	mg/kg	ND	NA
Diciclohexil Ftalato (DCHP)	84-61-7	Max. 500,00	50,00	mg/kg	ND	NA
1,2-Ácido benzenodicarboxílico, di-C6-8-alquil ésteres ramificados, C7-rich (DIHP)	71888-89-6	Max. 500,00	50,00	mg/kg	ND	NA
Bis(2-metoxietil) Ftalato (DMEP)	117-82-8	Max. 500,00	50,00	mg/kg	ND	NA
Diisopentil Ftalato (DIPP)	605-50-5	Max. 500,00	50,00	mg/kg	ND	NA
Dipropil Ftalato (DPRP)	131-16-8	Max. 500,00	50,00	mg/kg	ND	NA
Ftalato de diiso-octilo (DIOP)	27554-26-3	Max. 500,00	50,00	mg/kg	ND	NA
1,2-Ácido benzenodicarboxílico, di-C7-11-ramificados e lineares alquil éster (DHNUP)	68515-42-4	Max. 500,00	50,00	mg/kg	ND	NA
Ácido 1,2-benzenodicarboxílico, éster de dipentilo, ramificado e linear	84777-06-0	Max. 500,000	50,000	mg/kg	ND	NA
Ácido 1,2-benzenodicarboxílico, mistos decil e hexil e octil diésteres	68648-93-1	Max. 500,000	30,000	mg/kg	ND	NA
Ácido 1,2-benzenodicarboxílico, ésteres de di-C6-10-alquil	68515-51-5	Max. 500,000	30,000	mg/kg	ND	NA

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Relatório de Ensaios

No. BR2105149 Rev. 0

Data: Barueri, 27 Dez 2021

Pag.8 de 11

Item(s) de Teste	CAS-NO.	Limite	RL	Unid.	Resultado	
					001	Incerteza
N-pentil-isopentil Ftalato (NPiPP)	776297-69-9	Max. 500,00	30,00	mg/kg	ND	NA
Di-hexilftalato, ramificado e linear (DHxP)	68515-50-4	Max. 500,000	30,000	mg/kg	ND	NA
Di-iso-hexilftalato (DIHxP)	71850-09-4	Max. 500,00	30,00	mg/kg	ND	NA
Soma		Max. 1000,00	-	mg/kg	ND	NA

Quinolina

Método de ensaio : DIN 54231:2005A análise foi conduzida por LCMS / DAD

Item(s) de Teste	CAS-NO.	Limite	RL	Unid.	Resultado	
					001	Incerteza
Quinolina	91-22-6	Max. 50	10	mg/kg	ND	NA

Compostos Voláteis

Método de ensaio : Método In House 2483/13, EPA 8260C

Item(s) de Teste	CAS-NO.	Limite	RL	Unid.	Resultado	
					001	Incerteza
Hexaclorobutadieno	87-68-3	Max. 100,00	10,00	mg/kg	ND	NA
Benzeno	71-43-2	Max. 5,00	5,00	mg/kg	ND	NA
Dissulfeto de Carbono	75-15-0	-	10,00	mg/kg	ND	NA
Tetracloroeto de Carbono	56-23-5	-	10,00	mg/kg	ND	NA
Clorofórmio	67-66-3	-	10,00	mg/kg	ND	NA
Ciclohexanona	108-94-1	-	10,00	mg/kg	ND	NA
1,2-Dicloroetano	107-06-2	-	20,00	mg/kg	ND	NA
1,1-Dicloroetano	75-35-4	-	20,00	mg/kg	ND	NA
Pentacloroetano	76-01-7	-	10,00	mg/kg	ND	NA
Etilbenzeno	100-41-4	-	10,00	mg/kg	ND	NA
1,1,1,2-Tetracloroetano	630-20-6	-	20,00	mg/kg	ND	NA
1,1,2,2-Tetracloroetano	79-34-5	-	20,00	mg/kg	ND	NA
Tetracloroetileno	127-18-4	-	10,00	mg/kg	ND	NA
Tolueno	108-88-3	-	10,00	mg/kg	ND	NA
1,1,1-Tricloroetano	71-55-6	-	20,00	mg/kg	ND	NA
1,1,2-Tricloroetano	79-00-5	-	20,00	mg/kg	ND	NA
Tricloroetileno	79-01-6	-	10,00	mg/kg	ND	NA
Soma dos Xilenos (o,m,p)	1330-20-7	-	10,00	mg/kg	ND	NA
m-Xileno	108-38-3	-	10,00	mg/kg	ND	NA
o-Xileno	95-47-6	-	10,00	mg/kg	ND	NA
p-Xileno	106-42-3	-	10,00	mg/kg	ND	NA
Somatório de VOCs	-	Max. 1000,00	20,00	mg/kg	ND	NA

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Determinação de Bisfenol

Método de ensaio : Extração: 1 g amostra / 20 ml THF, sonicação por 60 minutos a 60°C, análise com LC/MS

Item(s) de Teste	CAS-NO.	Limite	RL	Unid.	Resultado	
					001	Incerteza
Bisfenol A (BPA)	80-05-7	Max. 1,00	1,00	mg/kg	ND	NA
Bisfenol-AF (BPAF)	1478-61-1	-	1,00	mg/kg	ND	NA
Bisfenol-F (BPF)	620-92-8	Max. 1,00	1,00	mg/kg	ND	NA
Bisfenol-S (BPS)	80-09-1	Max. 1,00	1,00	mg/kg	ND	NA

Notas :

Bisfenol-AF (BPAF) sem restrição

Nonilfenol (NP) e Octilfenol (OP)

Método de ensaio : Preparação da amostra por extração com solvente (EN ISO 21084:2019) , análise realizada por GC-MS.

Item(s) de Teste	CAS-NO.	Limite	RL	Unid.	Resultado	
					001	Incerteza
Nonilfenol (NP)	25154-52-3	-	10,00	mg/kg	ND	NA
Octilfenol (OP)	27193-28-8	-	10,00	mg/kg	ND	NA
Soma de NP e OP (AP)		Max. 100,00	10,00	mg/kg	ND	NA

Nonilfenol Etoxilado (NPEO) e Octilfenol Etoxilado (OPEO)

Método de ensaio : Preparação da amostra por extração com solvente (EN ISO 18254/16) , análise realizada por LC-MS.

Item(s) de Teste	CAS-NO.	Limite	RL	Unid.	Resultado	
					001	Incerteza
Nonilfenol Etoxilado (NPEO)	9016-45-9	-	20,00	mg/kg	ND	NA
Octilfenol Etoxilado (OPEO)	9002-93-1	-	20,00	mg/kg	ND	NA
Soma de NPEO e OPEO		Max. 100,00	-	mg/kg	ND	NA

Hidrocarbonetos aromáticos policíclicos (PAHs) e PAHs regulamentados de alta preocupação

Método de ensaio : Com referência ao AfPS GS 2019:01 PAK. A análise foi realizada por GC-MS.

Item(s) de Teste	CAS-NO.	Limite	RL	Unid.	Resultado	
					001	Incerteza
Acenafteno (ANA)	83-32-9	-	0,20	mg/kg	ND	NA
Acenaftileno (ANY)	208-96-8	-	0,20	mg/kg	ND	NA
Antraceno (ANT)	120-12-7	-	0,20	mg/kg	ND	NA
Benzo(g,h,i)perileno (BPE)	191-24-2	-	0,20	mg/kg	ND	NA
Fluoreno (FLU)	86-73-7	-	0,20	mg/kg	ND	NA

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Item(s) de Teste	CAS-NO.	Limite	RL	Unid.	Resultado	
					001	Incerteza
Fluoranteno (FLT)	206-44-0	-	0,20	mg/kg	ND	NA
Indeno(1,2,3-c,d)pireno (IPY)	193-39-5	-	0,20	mg/kg	ND	NA
Naftaleno (NAP)	91-20-3	-	0,20	mg/kg	ND	NA
Fenantreno (PHE)	85-01-8	-	0,20	mg/kg	ND	NA
Pireno (PYR)	129-00-0	-	0,20	mg/kg	ND	NA
Benzo (a) antraceno (BAA)	56-55-3	Max. 0,50	0,20	mg/kg	ND	NA
Benzo(a)pireno (BaP)	50-32-8	Max. 0,50	0,20	mg/kg	ND	NA
Benzo(b)fluoranteno (BbF)	205-99-2	Max. 0,50	0,20	mg/kg	ND	NA
Benzo(e)pireno (BEP)	192-97-2	Max. 0,50	0,20	mg/kg	ND	NA
Benzo(j)fluoranteno (BJF)	205-82-3	Max. 0,50	0,20	mg/kg	ND	NA
Benzo(k)fluoranteno (BKF)	207-08-9	Max. 0,50	0,20	mg/kg	ND	NA
Criseno (CDH)	218-01-9	Max. 0,50	0,20	mg/kg	ND	NA
Dibenzo(a,h)antraceno (DBA)	53-70-3	Max. 0,50	0,20	mg/kg	ND	NA
Soma de 18 PAHs		Max. 10,00	-	mg/kg	ND	NA

- As incertezas expandidas foram calculadas considerando k=2 e intervalo de confiança de aproximadamente 95%.

Nota :

- (1) RL = Limite de Reporte
- (2) ND = Não Detectado (< RL)
- (3) "-" = Não Analisado / Não Aplicável
- (4) "--" = Análises em Processo
- (5) 1 mg/kg =0,0001%
- (6) mg/kg = ppm

Observações :

Os resultados reportados referem-se somente às amostras submetidas aos ensaios. A SGS não se responsabiliza pelas informações a respeito da composição da amostra e seus dados de fabricação. As mesmas são de responsabilidade exclusiva do cliente e não fazem parte do escopo de serviço da SGS do Brasil LTDA.

Este documento não pode ser reproduzido, exceto na íntegra, sem aprovação prévia por escrito da SGS.

A Regra de decisão definida pela SGS estabelece que a incerteza de medição não será considerada no Veredicto (declaração de conformidade) quando indicado no relatório de ensaio.

AVISO: As opiniões e interpretações expressas abaixo são baseadas nos resultados obtidos a partir do item ensaiado, aplicáveis somente para os ensaios em que os parâmetros de especificação estão inclusos nesse relatório.

Resumo de Resultados de Ensaio:

Teste Solicitado	Método de Ensaio	Avaliação
Valor de pH	BS ISO 3071:2020.	Atende
Metais Pesados Extraíveis	DIN EN 16711-2:2016,A análise foi realizada por ICP-MS.	Atende
Metais Pesados Extraíveis - Cromo Hexavalente	DIN EN 16711-2-2016	Atende

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Metais Pesados Totais	DIN EN 16711-1:2016- A análise foi realizada por ICP-MS	Atende
Corantes AZO	EN ISO 14362-1:2017 & EN ISO 14362-3: 2017.	Atende
Corantes Dispersos	Referenciado na DIN 54231:2005, análise realizada por LC-DAD-MS.	Atende
Formaldeído	Referenciado na ISO 14184-1:2011; análise realizada por UV-VIS.	Atende
Compostos Organoestânicos	Referenciado na ISO 16179 2012, análise realizada por GC-MS.	Atende
Ftalatos	Método ISO 14389:2014, análise realizada por GC-MS/CPSC-CH-C1001.09.4 de 1º de Abril de 2018, análise realizada por GC-MS.	Atende
Quinolina	DIN 54231:2005A análise foi conduzida por LCMS / DAD	Atende
Compostos Voláteis	Método In House 2483/13, EPA 8260C	Atende
Determinação de Bisfenol	Extração: 1 g amostra / 20 ml THF, sonicação por 60 minutos a 60°C, análise com LC/MS	Atende
Nonilfenol (NP) e Octilfenol (OP)	Preparação da amostra por extração com solvente (EN ISO 21084:2019) , análise realizada por GC-MS.	Atende
Nonilfenol Etoxilado (NPEO) e Octilfenol Etoxilado (OPEO)	Preparação da amostra por extração com solvente (EN ISO 18254/16) , análise realizada por LC-MS.	Atende
Hidrocarbonetos aromáticos policíclicos (PAHs) e PAHs regulamentados de alta preocupação	Com referência ao AfPS GS 2019:01 PAK. A análise foi realizada por GC-MS.	Atende

*** Final do Relatório ***

Os ensaios foram realizados no laboratório SGS do Brasil, localizado no endereço citado no rodapé deste relatório.