

The following sample(s) was/were submitted and identified on behalf of the buyer as: Napa Semi-anilina Black/White; Napa Semi-anilina Black; Napa Semi-anilina White

SGS Order No. : 40000001045
Total of Sample : 03 SAMPLES
Project : VEJA
Test Product : F. LEATHER WITH COVER
Mix : YES
Colors : BLACK / WHITE
Sample composed of fibers of plant origin : NO
Sample contains PVC or recycled material in the composition : NO
Sample covered with paints or varnishes : YES
Sample based on PU : NO
Mix : NO
Colors : BLACK
Mix : NO
Colors : WHITE

The informations above was provided by or on behalf of the customer.

Proposal Number : C&P PR22-303897 REV00
Sample Receiving Date : 14 Dec 2022
Test Performing Period : 15 Dec 2022 - 06 Jan 2023
Test Requested : Selected test(s) as requested by client.
Test Part Description : Please refer to next page(s).
Test Method : Please refer to next page(s).
Test Results : Please refer to next page(s).
Technical Responsibility : Alessandra Shimizu - Laboratory Manager CRQ 04245592

Sample Photo :



SGS authenticate the photo on original report only

Signed for and on behalf of
SGS do Brasil Ltda.

Alessandra Shimizu
Laboratory Manager CRQ 04245592

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Test Report

No. BR2205338 Rev. 0

Date: Barueri, 09 Jan 2023

Page 3 of 10

Test Results :

Test Part Description :

Item No.	SGS Sample ID	Description
1	BR2205338.001	Napa Semi-anilina Black/ White
2	BR2205338.002	Napa Semi-anilina Black
3	BR2205338.003	Napa Semi-anilina White

Nonylphenol (NP) and Octylphenol (OP)

Test Method : Reference by ISO 18218-2:2015, analysis was performed by GC-MS.

Test Item(s)	CAS-NO.	Limit	RL	Unit	Result 001
Nonylphenol (NP)	25154-52-3	-	10.00	mg/kg	ND
Octylphenol (OP)	27193-28-8	-	10.00	mg/kg	ND
Sum of NP and OP (AP)		Max. 100.00	10.00	mg/kg	ND

Nonylphenol Ethoxylates (NPEOs) and Octylphenol Ethoxylates (OPEOs)

Test Method : Reference by ISO 18218-1:2015, analysis was performed by LC-MS.

Test Item(s)	CAS-NO.	Limit	RL	Unit	Result 001
Nonylphenol ethoxylates (NPEO)	9016-45-9	-	20.00	mg/kg	ND
Octylphenol ethoxylates (OPEO)	9002-93-1	-	20.00	mg/kg	ND
Sum of NPEO and OPEO (APEO)		Max. 100.00	-	mg/kg	ND

AZO Dyes in Leather

Test Method : With reference to EN ISO 17234-1:2015 & EN ISO 17234-2:2011, analysis was performed with GC-MS/LC-MS.

Test Item(s)	CAS-NO.	Limit	RL	Unit	Result 001
4-Aminobiphenyl	92-67-1	Max. 20.00	5.00	mg/kg	ND
Benzidine	92-87-5	Max. 20.00	5.00	mg/kg	ND
4-chloro-o-toluidine	95-69-2	Max. 20.00	5.00	mg/kg	ND
2-naphthylamine	91-59-8	Max. 20.00	5.00	mg/kg	ND
o-aminoazotoluene	97-56-3	Max. 20.00	5.00	mg/kg	ND
2-amino-4-nitrotoluene	99-55-8	Max. 20.00	5.00	mg/kg	ND
4-chloroaniline	106-47-8	Max. 20.00	5.00	mg/kg	ND
2,4-diamino-anisole	615-05-4	Max. 20.00	5.00	mg/kg	ND
4,4'-diaminodiphenylmethane	101-77-9	Max. 20.00	5.00	mg/kg	ND
3,3'-dichlorobenzidine	91-94-1	Max. 20.00	5.00	mg/kg	ND
3,3'-dimethoxybenzidine	119-90-4	Max. 20.00	5.00	mg/kg	ND

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Test Report

No. BR2205338 Rev. 0

Date: Barueri, 09 Jan 2023

Page 4 of 10

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	<u>Result</u> 001
3,3'-dimethylbenzidine	119-93-7	Max. 20.00	5.00	mg/kg	ND
3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	Max. 20.00	5.00	mg/kg	ND
p-cresidine	120-71-8	Max. 20.00	5.00	mg/kg	ND
4,4'-methylene-bis-(2-chloroaniline)	101-14-4	Max. 20.00	5.00	mg/kg	ND
4,4'-oxydianiline	101-80-4	Max. 20.00	5.00	mg/kg	ND
4,4'-thiodianiline	139-65-1	Max. 20.00	5.00	mg/kg	ND
o-toluidine	95-53-4	Max. 20.00	5.00	mg/kg	ND
2,4-Toluylendiamine	95-80-7	Max. 20.00	5.00	mg/kg	ND
2,4,5-trimethylaniline	137-17-7	Max. 20.00	5.00	mg/kg	ND
4-aminoazobenzene	60-09-3	Max. 20.00	5.00	mg/kg	ND
O-Anisidine	90-04-0	Max. 20.00	5.00	mg/kg	ND
2,4-Xylidine	95-68-1	Max. 20.00	5.00	mg/kg	ND
2,6-Xylidine	87-62-7	Max. 20.00	5.00	mg/kg	ND
4-Chloro-o-toluidinium Chloride	3165-93-3	Max. 20.00	5.00	mg/kg	ND
2-Naphthylammoniumacetate	553-00-4	Max. 20.00	5.00	mg/kg	ND
4-Methoxy-m-phenylene diammonium sulphate	39156-41-7	Max. 20.00	5.00	mg/kg	ND

Short Chained Chlorinated Paraffin (SCCP) and Medium Chained Chlorinated Paraffin (MCCP)

Test Method : With reference to DIN EN ISO 18219:2021; analysis was performed by LC/MS-MS.

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	<u>Result</u> 001
Short Chained Chlorinated Paraffin (SCCP)	85535-84-8	Max. 1000	100	mg/kg	ND
Medium Chained Chlorinated Paraffin (MCCP)	85535-85-9	Max. 1000	100	mg/kg	ND

Formaldehyde

Test Method : With reference to ISO 17226-1:2019, analysis was performed by LC-DAD

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	<u>Result</u> 001
Formaldehyde	50-00-0	-	16.00	mg/kg	ND

Formaldehyde

Test Method : With reference to ISO 17226-2:2019, analysis was performed by LC-DAD

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	<u>Result</u> 001
Formaldehyde	50-00-0	-	16.00	mg/kg	ND

Extractable Metals in Leather

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Test Report

No. BR2205338 Rev. 0

Date: Barueri, 09 Jan 2023

Page 5 of 10

Test Method : With reference to ISO 17072-1:2019, analysis was performed by ICP-OES.

<u>Test Item(s)</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	Result 001
Antimony (Sb)	Max. 30.00	3.00	mg/kg	ND
Arsenic (As)	Max. 0.20	0.10	mg/kg	ND
Barium (Ba)	Max. 1000.00	100.00	mg/kg	ND
Cadmium (Cd)	Max. 0.10	0.05	mg/kg	ND
Chromium (Cr)	Max. 60.00	0.50	mg/kg	59.83
Cobalt (Co)	Max. 1.00	0.50	mg/kg	ND
Copper (Cu)	Max. 25.00	5.00	mg/kg	ND
Lead (Pb)	Max. 0.20	0.10	mg/kg	ND
Mercury (Hg)	Max. 0.02	0.02	mg/kg	ND
Selenium (Se)	Max. 500.00	50.00	mg/kg	ND

Total Heavy Metals

Test Method : EN ISO 17072-2:2019

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	Result 001
Arsenic (As)	7440-38-2	Max. 10.00	10.00	mg/kg	ND
Cadmium (Cd)	7440-43-9	Max. 40.00	5.00	mg/kg	ND
Mercury (Hg)	7439-97-6	Max. 0.50	0.10	mg/kg	ND

Non-Metal Products

Test Method : With reference to CPSC-CH-E1002-08.3; analysis was performed by ICP-OES.

<u>Test Item(s)</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	Result 001
Lead (Pb)	Max. 90.00	10.00	mg/kg	ND

Hexavalent Chromium with aging

Test Method : Aging of the sample is required according to BS ISO 10195 (2018) Method A2 (24h, 80°C, max. 10%rH, usage of a non-ventilated oven) and EN ISO 17075:2017.

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	Result 002
Volatile material content		-	-	%	13.2347
Hexavalent Chromium with aging	18540-29-9	Max. 3.000	0.625	mg/kg	ND
Moisture Level Wet Blue Only		-	0.625	mg/kg	13.235

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	Result 003
---------------------	----------------	--------------	-----------	-------------	-----------------------------

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Test Report

No. BR2205338 Rev. 0

Date: Barueri, 09 Jan 2023

Page 6 of 10

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	Result 003
Volatile material content		-	-	%	14.4814
Hexavalent Chromium with aging	18540-29-9	Max. 3.000	0.625	mg/kg	ND
Moisture Level Wet Blue Only		-	0.625	mg/kg	14.481

Hexavalent Chromium

Test Method : With reference to ISO 17075-1:2017 and ISO17075-2:2017, analysis was performed by UV/VIS Spectrometry.

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	Result 002
Hexavalent Chromium (VI) (ISO17075-1)	18540-29-9	-	3	mg/kg	ND
Hexavalent Chromium (VI) (ISO17075-2)	18540-29-9	-	3	mg/kg	ND

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	Result 003
Hexavalent Chromium (VI) (ISO17075-1)	18540-29-9	-	3	mg/kg	ND
Hexavalent Chromium (VI) (ISO17075-2)	18540-29-9	-	3	mg/kg	ND

Monomer - Vinyl Chloride

Test Method : With reference to EN ISO 6401:2008. Analysis was conducted by headspace GC-MS.

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	Result 001
Vinyl Chloride	75-01-4	Max. 1	1	mg/kg	ND

Organotin Compounds

Test Method : With reference to ISO 16179:2012, analysis was performed by GC-MS

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	Result 001
Dibutyl tin (DBT)	1002-53-5	Max. 1.00	0.10	mg/kg	ND
Diocetyl tin (DOT)	15231-44-4	Max. 1.00	0.10	mg/kg	ND
Monobutyl tin (MBT)	78763-54-9	Max. 1.00	0.10	mg/kg	ND
Tricyclohexyl tin (TCyHT)	892-20-6	Max. 1.00	0.10	mg/kg	ND
Trimethyltin (TMT)		Max. 1.00	0.10	mg/kg	ND
Triocetyl tin (TOT)	869-59-0	Max. 1.00	0.10	mg/kg	ND
Tripropyltin (TPT)		Max. 1.00	0.10	mg/kg	ND
Tributyl tin (TBT)	688-73-3	Max. 0.10	0.10	mg/kg	ND
Triphenyl tin (TPHT)	892-20-6	Max. 0.50	0.10	mg/kg	ND

Ortho-phenylphenol (OPP)

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Test Report

No. BR2205338 Rev. 0

Date: Barueri, 09 Jan 2023

Page 7 of 10

Test Method : DIN 50009:2021

Test Item(s)	CAS-NO.	Limit	RL	Unit	Result
Ortho-phenylphenol (OPP)	90-43-7	Max. 1000.00	0.50	mg/kg	0.60

Phthalates

Test Method : With reference to ISO 14389:2014; Analysis was performed by GC-MS/CPSC Method CPSC-CH-C1001.09.4:2018

Test Item(s)	CAS-NO.	Limit	RL	Unit	Result
Diisononyl Phthalate (DINP)	28553-12-0	Max. 500.00	50.00	mg/kg	ND
Di-n-octyl Phthalate (DNOP)	117-84-0	Max. 500.00	50.00	mg/kg	ND
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	Max. 500.00	50.00	mg/kg	ND
Diisodecyl Phthalate (DIDP)	26761-40-0	Max. 500.00	50.00	mg/kg	ND
Benzylbutyl Phthalate (BBP)	85-68-7	Max. 500.00	50.00	mg/kg	ND
Dibutyl Phthalate (DBP)	84-74-2	Max. 500.00	50.00	mg/kg	ND
Diisobutyl Phthalate (DIBP)	84-69-5	Max. 500.00	30.00	mg/kg	ND
Di-n-hexyl Phthalate (DnHP)	84-75-3	Max. 500.00	50.00	mg/kg	ND
Diethyl Phthalate (DEP)	84-66-2	Max. 500.00	50.00	mg/kg	ND
Dimethyl Phthalate (DMP)	131-11-3	Max. 500.00	50.00	mg/kg	ND
Di-n-pentyl Phthalate (DPENP)	131-18-0	Max. 500.00	50.00	mg/kg	ND
Dicyclohexyl Phthalate (DCHP)	84-61-7	Max. 500.00	50.00	mg/kg	ND
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	Max. 500.00	50.00	mg/kg	ND
Bis(2-methoxyethyl) Phthalate (DMEP)	117-82-8	Max. 500.00	50.00	mg/kg	ND
Diisopentyl Phthalate (DIPP)	605-50-5	Max. 500.00	50.00	mg/kg	ND
Dipropyl phthalate (DPRP)	131-16-8	Max. 500.00	50.00	mg/kg	ND
Diisooctyl phthalate (DIOP)	27554-26-3	Max. 500.00	50.00	mg/kg	ND
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	Max. 500.00	50.00	mg/kg	ND
1,2-Benzenedicarboxylic acid, dipentyl ester, branched and linear	84777-06-0	Max. 500.000	50.000	mg/kg	ND
1,2-Benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters	68648-93-1	Max. 500.000	30.000	mg/kg	ND
1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters	68515-51-5	Max. 500.000	30.000	mg/kg	ND
N-pentyl-isopentyl Phthalate (NPIPP)	776297-69-9	Max. 500.00	30.00	mg/kg	ND
Di-hexylphthalate, branched and linear (DHxP)	68515-50-4	Max. 500.000	30.000	mg/kg	ND
Di-iso-hexylphthalate (DIHxP)	71850-09-4	Max. 500.00	30.00	mg/kg	ND
Sum		Max. 1000.00	-	mg/kg	ND

Polycyclic aromatic hydrocarbons (PAH)

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Test Report

No. BR2205338 Rev. 0

Date: Barueri, 09 Jan 2023

Page 8 of 10

Test Method : With reference to AfPS GS 2019:01 PAK. Analysis was performed by GC-MS.

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	<u>Result</u>
Acenaphthene (ANA)	83-32-9	-	0.20	mg/kg	ND
Acenaphthylene (ANY)	208-96-8	-	0.20	mg/kg	ND
Anthracene (ANT)	120-12-7	-	0.20	mg/kg	ND
Benzo(g,h,i)perylene (BPE)	191-24-2	-	0.20	mg/kg	ND
Fluorene (FLU)	86-73-7	-	0.20	mg/kg	ND
Fluoranthene (FLT)	206-44-0	-	0.20	mg/kg	ND
Indeno(1,2,3-c,d)pyrene (IPY)	193-39-5	-	0.20	mg/kg	ND
Naphthalene (NAP)	91-20-3	-	0.20	mg/kg	ND
Phenanthrene(PHE)	85-01-8	-	0.20	mg/kg	ND
Pyrene (PYR)	129-00-0	-	0.20	mg/kg	ND
Benzo(a)anthracene (BaA)	56-55-3	Max. 0.50	0.20	mg/kg	ND
Benzo(a)pyrene (BaP)	50-32-8	Max. 0.50	0.20	mg/kg	ND
Benzo(b)fluoranthene (BbF)	205-99-2	Max. 0.50	0.20	mg/kg	ND
Benzo(e)pyrene (BeP)	192-97-2	Max. 0.50	0.20	mg/kg	ND
Benzo(j)fluoranthene (BjF)	205-82-3	Max. 0.50	0.20	mg/kg	ND
Benzo(k)fluoranthene (BkF)	207-08-9	Max. 0.50	0.20	mg/kg	ND
Chrysene (CHR)	218-01-9	Max. 0.50	0.20	mg/kg	ND
Dibenzo(a,h)anthracene (DBA)	53-70-3	Max. 0.50	0.20	mg/kg	ND
Sum of 18 PAHs		Max. 10.00	-	mg/kg	ND

Quinoline

Test Method : DIN 54231:2005, Analysis was conducted by LCMS/DAD

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	<u>Result</u>
Quinoline	91-22-6	Max. 50	10	mg/kg	21.03

Residual Solvent (ISO 16189/13)

Test Method : ISO 16189/13, extration with organic solvent, analysis was performed by GC-MS.

<u>Test Item(s)</u>	<u>CAS-NO.</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	<u>Result</u>
Dimethylacetamida (DMAC)	127-19-5	Max. 1000.00	50.00	mg/kg	ND
Dimethylformamide (DMFA)	68-12-2	Max. 500.00	50.00	mg/kg	ND
Formamide	75-12-7	Max. 1000.00	50.00	mg/kg	ND
N-methyl-2-pyrrolidone (NMP)	872-50-4	Max. 1000.00	50.00	mg/kg	ND

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

pH Value

Test Method : According to ISO 4045:2018.

<u>Test Item(s)</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	Result
pH Value	3.50 - 7.00	-	-	002 4.00
<u>Test Item(s)</u>	<u>Limit</u>	<u>RL</u>	<u>Unit</u>	Result
pH Value	3.50 - 7.00	-	-	003 3.86

Remarks :

- (1) RL = Reporting Limit
- (2) ND = Not Detected (< RL)
- (3) "-" = Not Analyzed / Not Applicable
- (4) "--" = Analysis in Process
- (5) 1 mg/kg =0.0001%
- (6) mg/kg = ppm

Comments :

The reported results refer only to the samples submitted to the tests. SGS is not responsible for information regarding the composition of the sample and its manufacturing data. These are the sole responsibility of the customer and are not part of the service scope of SGS do Brasil LTDA.

This document may not be reproduced, except in whole, without the prior written approval of SGS.

The Decision Rule defined by SGS states that the uncertainty of measurement will not be considered in the Verdict (declaration of conformity) when indicated in the test report.

The test SCCP & MCCP is not part of the scope of testing of this laboratory and was produced by a subcontracted laboratory. The outsourced test was performed by laboratory SGS Hong Kong Limited, report number SL12200349462001TX.

WARNING: The opinions and interpretations expressed below are based on the results obtained from the item tested, applicable only to the tests where the specification parameters are included in this report.

Summary of Test Result:

Test Parameter	Test Method	Evaluation
Extractable Metals in Leather	With reference to ISO 17072-1:2019, analysis was performed by ICP-OES.	PASS
Total Heavy Metals	EN ISO 17072-2:2019	PASS
Non-Metal Products	With reference to CPSC-CH-E1002-08.3; analysis was performed by ICP-OES.	PASS
Hexavalent Chromium with aging	Aging of the sample is required according to BS ISO 10195 (2018) Method A2 (24h, 80°C, max. 10%rH, usage of a non-ventilated oven) and EN ISO 17075:2017.	PASS
Hexavalent Chromium	With reference to ISO 17075-1:2017 and ISO17075-2:2017, analysis was performed by UV/VIS Spectrometry.	PASS

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

Monomer - Vinyl Chloride	With reference to EN ISO 6401:2008. Analysis was conducted by headspace GC-MS.	PASS
Nonylphenol (NP) and Octylphenol (OP)	Reference by ISO 18218-2:2015, analysis was performed by GC-MS.	PASS
Nonylphenol Ethoxylates (NPEOs) and Octylphenol Ethoxylates (OPEOs)	Reference by ISO 18218-1:2015, analysis was performed by LC-MS.	PASS
AZO Dyes in Leather	With reference to EN ISO 17234-1:2015 & EN ISO 17234-2:2011, analysis was performed with GC-MS/LC-MS.	PASS
Short Chained Chlorinated Paraffin (SCCP) and Medium Chained Chlorinated Paraffin (MCCP)	With reference to DIN EN ISO 18219:2021; analysis was performed by LC/MS-MS.	PASS
Formaldehyde	With reference to ISO 17226-1:2019, analysis was performed by LC-DAD	PASS
Formaldehyde	With reference to ISO 17226-2:2019, analysis was performed by LC-DAD	PASS
Organotin Compounds	With reference to ISO 16179:2012, analysis was performed by GC-MS	PASS
Ortho-phenylphenol (OPP)	DIN 50009:2021	PASS
Phthalates	With reference to ISO 14389:2014; Analysis was performed by GC-MS/CPSC Method CPSC-CH-C1001.09.4:2018	PASS
Polycyclic aromatic hydrocarbons (PAH)	With reference to AfPS GS 2019:01 PAK. Analysis was performed by GC-MS.	PASS
Quinoline	DIN 54231:2005, Analysis was conducted by LCMS/DAD	PASS
Residual Solvent (ISO 16189/13)	ISO 16189/13, extraction with organic solvent, analysis was performed by GC-MS.	PASS
pH Value	According to ISO 4045:2018.	PASS

*** End of Report ***

The assay were conducted in the laboratory in Brazil, located at the address cited at the bottom of this report.